



- Use highly effective contraception during your treatment with topiramate and for at least 4 weeks after the last topiramate dose. Your doctor will advise you on the most suitable method for you.
- Visit your doctor to review your treatment at least once a year.
- If you think you have become pregnant, talk to your doctor straight away.
- If you are thinking about having a child, do not stop using contraception before you have talked to your doctor.

Ask your doctor to give you the Patient Guide.
Keep this card.

URL: <https://vivusdruginformation.eu/>



Version 1 Qsiva IE+MT
PCD514227 PH-11-011-00

Document information	
Document name	Qsiva patient card IE+MT
Version number	7
Date	5 May 2025

Article information	
Products	Qsiva modified-release hard capsules (all strengths)
Countries	Ireland, Malta
Language(s)	English
MAH	VIVUS BV Strawinskylaan 4117 1077 ZX Amsterdam The Netherlands

Design and fonts	
Fonts	Officina Sans ITC
Font sizes	red main heading: 11pt headings: 10pt body text: 9pt
Logos	VIVUS

Colour	
Paper colour	white
Font colours	■ Pantone black 6 C ■ Pantone warm red C

Dimension	
size	86 × 54 mm

Layout and design	
 Package Insert Test	PAINT-Consult® www.paint-consult.com info@paint-consult.com +49 / 3641 / 549396

The layout and text content of this imprinted packaging material was checked against the valid marketing authorisation dossier.
The compliance with the marketing authorisation is hereby confirmed.

.....
Date Signature of the Responsible Production
Person of the Customer

.....
Date Signature of the Responsible Regulatory
Person of the Customer

.....
Date Signature of VIVUS QA